

DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) No. 305/2011

Nullifire
Smart Protection

No. FF197-20220107

- 1. Unique identification code of the product-type:** Nullifire FF197
- 2. Intended use/es:** Reinstate the fire resistance performance of gaps and joints in rigid wall and floor constructions.
- 3. Manufacturer:** Tremco CPG UK Limited, Coupland Road, Hindley Green, Wigan, WN2 4HT
- 4. Authorized representative:** Tremco CPG Netherlands B.V., Vlietskade 1032, NL-4241 WC Arkel
- 5. System/s of AVCP:** System 1
- 6b. European Assessment Document:** EAD 350141-00-1106 Linear Joint and Gap Seals
European Technical Assessment: ETA 20/1338
Technical Assessment Body: Element Materials Technology Rotterdam B.V.
Notified body/ies: Element Materials Technology Rotterdam B.V. 2812
- 7. Declared performance/s**

Basic Work Requirement (BWR)	Performance
Mechanical resistance and stability (BWR 1)	
None	Not relevant
Safety in case of fire (BWR 2)	
Reaction to fire (EN 13501-1)	Class E
Resistance to fire (EN 13501-2)	See ETA 20/1338 Annex A
Hygiene, Health and the Environment (BWR 3)	
Air Permeability (EN 1026:2000)	NPD
Water Permeability(EAD 350141-00-1106 Linear Joint and Gap Seals)	NPD
Release of dangerous substances	Use Category IA1, S/W3 Declaration of manufacturer
Safety in Use (BWR 4)	
Mechanical Resistance and stability (EOTA TR001:2003)	NPD
Resistance to Impact / movement (EOTA TR001:2003)	NPD
Adhesion (EOTA TR001:2003)	NPD
Protection against noise (BWR 5)	
Airborne Sound Insulation (EN10140-2 / EN ISO 717-1)	NPD
Energy, Economy and Heat Retention (BWR 6)	
Thermal Properties (EN 12664, EN 12667 or EN 12939)	NPD
Water vapour permeability (EN ISO 12572 / EN 12086)	NPD
General Aspects Relating to fitness for use	
Durability and Serviceability (EOTA TR 024:2009)	Y ²
Sustainable use of natural resources (BWR 7)	
Sustainable use of natural resources	NPD

BWR = Basic requirement for construction work

NPD = No Performance Determined

DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) No. 305/2011

Nullifire
Smart Protection



8. Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

Signed for and on behalf of the manufacturer by:

M. Liptrot, Operations Director

At Wigan on 07.01.2022.

Annex:

According to Art. 6 (5) of the Regulation (EU) No. 305/2011 a Safety Data sheet according Regulation (EU) No. 1907/2006 (REACH), Annex II is available on the website to support this Declaration of Performance.

DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) No. 305/2011

Nullifire
Smart Protection



CE

Tremco CPG UK Limited, Coupland Road, Hindley Green, Wigan, WN2 4HT, UK

20

2812-CPR-JA5067

FF197-20220107

www.nullifire.com/FF197

EN 1366-4: 2006

ETA 20/1338

EAD 350141-00-1106 Linear Joint and Gap Seals

Reinstate the fire resistance performance of gaps and joints in rigid wall and floor constructions.

Basic Work Requirement (BWR)	Performance
Mechanical resistance and stability (BWR 1)	
None	Not relevant
Safety in case of fire (BWR 2)	
Reaction to fire	Class E
Resistance to fire	See ETA 20/1338 Annex A
Hygiene, Health and the Environment (BWR 3)	
Air Permeability	NPD
Water Permeability	NPD
Release of dangerous substances	Use Category IA1, S/W3 Declaration of manufacturer
Safety in Use (BWR 4)	
Mechanical Resistance and stability	NPD
Resistance to Impact / movement	NPD
Adhesion	NPD
Protection against noise (BWR 5)	
Airborne Sound Insulation	NPD
Energy, Economy and Heat Retention (BWR 6)	
Thermal Properties	NPD
Water vapour permeability	NPD
General Aspects Relating to fitness for use	
Durability and Serviceability	Y ²
Sustainable use of natural resources (BWR 7)	
Sustainable use of natural resources	NPD