

# DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) No. 305/2011

**Nullifire**  
Smart Protection

No. FS702 – 20220107

- 1. Unique identification code of the product-type:** Nullifire FS702 Intumastic
- 2. Intended use/es:** FS702 is a sealant used for linear joints and penetrations.
- 3. Manufacturer:** TREMCO CPG UK Limited, Coupland Road, Hindley Green, Wigan. WN24HT
- 4. Authorized representative:** Tremco CPG Netherlands B.V., Vlietskade 1032, NL-4241 WC Arkel
- 5. System/s of AVCP:** System 1  
**European Assessment Document:** EAD 350141-00-1106, September 2017 - EAD 350454-00-1104, September 2017  
**European Technical Assessment:** ETA 20/1315 - ETA 21/0010  
**Technical Assessment Body:** ETA-Danmark A/S  
**Notified body/ies:** CPR Notified Body DBI Certification A/S No.2531

## 6. Declared performance/s

| Essential Characteristics                             | Performance                                     |
|---|---|
| <b>BWR 2 Safety in case of fire</b>                   |   |
| Reaction to fire (EN 13501-1)                         | Class E   |
| Resistance to fire (EN 13501-2)                       | See ETA 20/1315 Annex A and ETA 21/0010 Annex A |
| <b>BWR 3 Hygiene, health and environment</b>          |   |
| Air Permeability (EN 1026:2000)                       | See ETA 21/0010 Annex B                         |
| Water Permeability (EAD 350141-00-1106 Annex C)       | NPD   |
| Release of dangerous substances                       | Declaration of manufacturer                     |
| <b>BWR 4 Safety in use</b>                            |   |
| Mechanical resistance and stability (EOTA TR001:2003) | NPD   |
| Resistance to impact / movement (EOTA TR001:2003)     | NPD   |
| Adhesion (EOTA TR001:2003)                            | NPD   |
| Durability (EAD 350454-00-1104, Clause 2.2.9)         | Z <sub>1</sub>                                  |
| <b>BWR 5 Protection against noise</b>                 |   |
| Airborne Sound Insulation (EN10140-2 / EN ISO 717-1)  | See ETA 20/1315 Annex B and ETA 21/0010 Annex C |
| <b>BWR 6 Energy economy and heat retention</b>        |   |
| Thermal Properties (EN 12664, EN 12667 or EN 12939)   | NPD   |
| Water vapour permeability (EN ISO 12572 / EN 12086)   | NPD   |

NPD = No Performance Determined

## DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) No. 305/2011

**Nullifire**  
Smart Protection



### 7. Appropriate Technical Documentation and/or Specific Technical Documentation:

The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.

#### Signed for and on behalf of the manufacturer by:

M. Liptrot, Operations Director

At Wigan on 7 January 2022

#### Annex:

According to Art. 6 (5) of the Regulation (EU) No. 305/2011 a Safety Data sheet according Regulation (EU) No. 1907/2006 (REACH), Annex II is available on the website to support this Declaration of Performance.

# DECLARATION OF PERFORMANCE

According to ANNEX III of the regulation (EU) No. 305/2011

**Nullifire**  
Smart Protection



| CE   |  |
|--|--|
| TREMCO CPG UK Limited<br>Coupland Road, Hindley Green, Wigan, WN2 4HT<br>21<br>2531-CPR-CX010109<br>FS702 – 20220107<br>www.nullifire.com/FS702  |  |
| EN 1366 Part 4 and Part 3<br>ETA 20/1315 and ETA 21/0010<br>EAD 350141-00-1106, September 2017 - EAD 350454-00-1104, September 2017<br>FS702 is a sealant used for linear joints and penetrations. |  |
| Essential Characteristics  | Performance                                    |
| <b>BWR 2 Safety in case of fire</b>  |  |
| Reaction to fire   | Class E  |
| Resistance to fire   | ETA 20/1315 Annex A<br>and ETA 21/0010 Annex A |
| <b>BWR 3 Hygiene, health and environment</b>   |  |
| Air Permeability   | ETA 21/0010 Annex B                            |
| Water Permeability   | NPD  |
| Dangerous Substances   | None   |
| <b>BWR 4 Safety in use</b>   |  |
| Mechanical resistance and stability  | NPD  |
| Resistance to impact/movement  | NPD  |
| Adhesion   | NPD  |
| Durability   | Z1   |
| <b>BWR 5 Protection against noise</b>  |  |
| Airborne sound insulation  | ETA 20/1315 Annex B<br>and ETA 21/0010 Annex C |
| <b>BWR 6 Energy economy and heat retention</b>   |  |
| Thermal properties   | NPD  |
| Water vapour permeability  | NPD  |